

High-Value Procedures in Endoscopic Spine Surgery: An Analysis of Clinical Outcomes Based on Surgeon Experience, Skill, and Training

Kai-Uwe Lewandrowski, Morgan P. Lorio, Benedikt W. Burkhardt and Alexander R. Vaccaro

Int J Spine Surg published online 4 June 2025 https://www.ijssurgery.com/content/early/2025/06/04/8705

This information is current as of June 6, 2025.

Email Alerts Receive free email-alerts when new articles cite this article. Sign up at: http://ijssurgery.com/alerts



International Journal of Spine Surgery, Vol. 00, No. 0, 2025, pp. 1–2 https://doi.org/10.14444/8705

© International Society for the Advancement of Spine Surgery

High-Value Procedures in Endoscopic Spine Surgery: An Analysis of Clinical Outcomes Based on Surgeon Experience, Skill, and Training

KAI-UWE LEWANDROWSKI, MD^{1,2,3,4}; MORGAN P. LORIO, MD, FACS^{5,6}; BENEDIKT W. BURKHARDT, MD⁷; AND ALEXANDER R. VACCARO, MD, PhD, MBA⁸

¹Division Personalized Pain Research and Education, Center for Advanced Spine Care of Southern Arizona, Tucson, AZ, USA; ²Department of Orthopedic Surgery, University of Arizona, Banner Medical Center, Tucson, AZ, USA; ³Department of Orthopedics, Fundación Universitaria Sanitas, Bogotá D.C., Colombia; ⁴Department of Orthopedics, Hospital Universitário Gaffree Guinle Universidade Federal do Estado do Rio de Janeiro, Rio de Janeiro, Brazil; ⁵Advanced Orthopedics, Altamonte Springs, FL, USA; ⁶Orlando College of Osteopa-thic Medicine, Orlando, FL, USA; ⁷Wirbelsäulenzentrum/Spine Center—WSC, Hirslanden Klinik Zurich, Witellikerstrasse, Zurich, Switzerland; ⁸Chairman of the Department of Orthopedic Surgery Sidney Kimmel Medical College at Thomas Jefferson University, Philadelphia, PA, USA

© K-UL, 0000-0001-7842-2914; [©] MPL, 0000-0003-1623-2095; [©] BWB, 0000-0002-9460-9807; [©] ARV, 0000-0002-8073-0796

Endoscopic Minimally Invasive Surgery

Keywords: endoscopic spine surgery, Rasch model, surgeon experience, clinical outcomes, high-value procedures, minimally invasive surgery, clinical guidelines, health care policy

Endoscopic spine surgery is rapidly advancing as a minimally invasive option for treating various spinal conditions, offering benefits such as reduced postoperative complications and quicker recovery times. However, the development of clinical guidelines for these procedures faces significant challenges due to the lack of high-grade clinical evidence from randomized controlled trials, which are often impractical in surgical settings. The Video presents an analysis of procedures in endoscopic spine surgery, based on data from nearly 800 surgeons participating in 4 International Society for the Advancement of Spine Surgery webinars. Using the Rasch model, a statistical tool that converts qualitative data into measurable insights, this study identifies endoscopic procedures that appear to provide favorable clinical outcomes when performed by experienced surgeons. The analysis identifies high-value procedures, such as percutaneous interlaminar endoscopic decompression and transforaminal full-endoscopic interbody fusion, and provides a framework for integrating surgeon experience into the creation of dynamic, evidence-based clinical guidelines. The Video addresses the limitations of traditional randomized controlled trials, offering an alternative and potentially more practical basis for guiding surgeon training and enhancing patient care. The findings have implications for health care policy, resource allocation, and the ongoing development of

endoscopic spine surgery as a cornerstone of modern spine care.

Funding: No formal funding by private, government or commercial funders was received by the authors to produce this work.

Declaration of Conflicting Interests: All authors aided in the collection, analyses, or interpretation of data; in the writing of the manuscript, or in the decision to publish the results. The authors declare no conflict of interest relevant to this research, and there was no personal circumstance or interest that may be perceived as inappropriately influencing the representation or interpretation of reported research results. This research was not compiled to enrich anyone.

Author Note: Kai-Uwe Lewandrowski is a foreign corresponding member of the Colombian National Academy of Medicine, the Brazilian National Academy of Medicine, and the Brazilian Military Medical Academy. He is also president of the Interamerican Society For Minimally Invasive Spine Surgery (SICCMI).

Editor's Note: For readers interested in learning more about the Rasch analysis studies and the authors' findings, view the IJSS special issue "Perspectives on High-Value Endoscopic Spine Surgery" at https://www.ijssurgery.com/content/18/S2.

Corresponding Author: Kai-Uwe Lewandrowski, Division Personalized Pain Research and Education, Center for Advanced Spine Care of Southern Arizona, 4787 E Camp Lowell Dr, Tucson, AZ 85712, USA; business@tucsonspine.com

Copyright © 2025 ISASS. The IJSS is an open access journal following the Creative Commons Licensing Agreement CC BY-NC-ND. To learn more or order reprints, visit http://ijssurgery.com.